

# PERMALIGHT®










## Photoluminescent Evacuation Guidance System (PEG)



### Products List

Content:	Page No.
• Wall Marking	3
• Floor Marking I	4
• Floor Marking II	5
• Stair Cases Marking	6
• Warning Marking	7
• Escape Route Signs according to ISO 7010 I	8
• Escape Route Signs according to ISO 7010 II	9
• Fire Safety Signs	10

















## Wall marking

	guidance line auf Rolle	luminance	dimensions (mm)	material	type	part number
		class C	25 x 25.000	vinyl		82-40708
		class C	50 x 25.000	vinyl		82-40709
		class C	100 x 25.000	vinyl		82-40710
	guidance line with directional arrow	luminance	dimensions (mm)	material	type	part number
		class C	50 x 25.000	vinyl, self adhesive		82-40706
	guidance line with directional arrow	luminance	dimensions (mm)	material	type	part number
		class C	50 x 25.000	vinyl, self adhesive	pointing left	82-40711
		class C	50 x 25.000	vinyl, self adhesive	pointing right	82-40712
	1-component- acrylic paint	luminance	Inhalt	Gebinde		part number
			1 kg	can	white primer	84-0101
			5 kg	bucket	white primer	84-10105
	class C		1 kg	can	photoluminescent	84-0112
			1 kg	can	coating laquer	84-0121
			5 kg	bucket	coating laquer	84-10125
	transparent labels "safety way signs"	luminance	dimensions (mm)	material	type	part number
			50 x 100	vinyl, self adhesive	pointing right	86-50011
			75 x 150	vinyl, self adhesive	pointing right	86-50031
			95 x 190	vinyl, self adhesive	pointing right	86-50051
			50 x 100	vinyl, self adhesive	pointing left	86-50021
			75 x 150	vinyl, self adhesive	pointing left	86-50041
			95 x 190	vinyl, self adhesive	pointing left	86-50061
	aluminium wall markings- strips	luminance	dimensions (mm)	material	type	part number
		class C	25 x 1000	aluminium		82-40197
		class C	50 x 1000	aluminium		82-40057
		class C	75 x 1000	aluminium		82-40067
		class C	100 x 1000	aluminium		82-40077
	aluminium profiles	luminance	dimensions (mm)	material	type	part number
			91 x 3000	aluminium	flat profile 1	83-18251
			110 x 3000	aluminium	flat profile 2	83-18200
			59 x 3000	aluminium	slanting profile1	83-18241
			85 x 3000	aluminium	slanting profile 2	83-18231
	guidance strips for aluminium profiles	luminance	dimensions (mm)	material	type	part number
		class C	79 x 1000	PVC	for flat profile 1	82-40034
		class C	99 x 1000	PVC	for flat profile 2	82-40044
		class C	55 x 1000	PVC	for slanting profile 1	82-40014
		class C	82 x 1000	PVC	for slanting profile 2	82-40024
	end caps for aluminium profiles		colour	material	type	part number
	for flat profile 1	grau		PVC	end cap A	83-8285
	for flat profile 2	grau		PVC	end cap B	83-8295
	for slanting profile 1	grau		PVC	end cap C	83-8245
	for slanting profile 2	grau		PVC	end cap D, right	83-8235
	for slanting profile 2	grau		PVC	end cap E, left	83-8225

## Floor markings I

	luminance	dimensions (mm)	material	type	part number
	daylight fluorescent anti-slip-marking				
	class C	25 x 6000	vinyl, self adhesive	universal (R13)	83-3525
	class C	50 x 6000	vinyl, self adhesive	universal (R13)	83-3550
	class C	25 x 6000	vinyl, self adhesive	fine granules	83-3526
	photoluminescent anti-slip-tape				
	luminance	dimensions (mm)	material	type	part number
	class C	50 x 16000	vinyl, self adhesive	structured surface	83-10780
	anti-slip-guidance lines				
	luminance	dimensions (mm)	material	type	part number
	class C	50 x 1000	polycarbonate	self adhesive	83-40059
	class C	100 x 1000	polycarbonate	self adhesive	83-40069
	safety signs for floors				
	luminance	dimensions (mm)	material	type	part number
	class C	50 x 100	polycarbonate	self adhesive	83-40129
	class C	100 x 200	polycarbonate	self adhesive	83-40139
	Safety walk Anti-slip strip				
	luminance	dimensions (mm)	material	type	part number
	class C	25 x 800	vinyl, self adhesive	photoluminescent	83-43212
	class C	50 x 800	vinyl, self adhesive	photoluminescent	83-43215
	class C	50 x 800	vinyl, self adhesive	hatched	83-43415
	class C	50 x 800	vinyl, self adhesive	fluorescent-photolum./black	83-43515
	anti-slip-floor dots (10 pcs/package)				
	luminance	Ø (mm)	material	type	part number
	class C	60	polycarbonate	without arrow	83-40089
	class C	100	polycarbonate	without arrow	83-40109
	class C	60	polycarbonate	with arrow printed	83-40099
	class C	100	polycarbonate	with arrow printed	83-40119
	enameled metal discs				
	luminance	Ø (mm)	material	type	part number
	class C	60	metal	without arrow	83-40027
	class C	100	metal	without arrow	83-40047
	class C	60	metal	with arrow printed	83-40017
	class C	100	metal	with arrow printed	83-40037
	vinyl anti-slip dots (12 pcs/package)				
	luminance	Ø (mm)	material	type	part number
	class C	90	Anti-Slip-vinyl, self adhesive	without arrow	83-10788
	class C	90	Anti-Slip-vinyl, self adhesive	with arrow printed	83-10787
	anti-slip-aluminium discs for gratings (10 pcs/package)				
	luminance	Ø (mm)	material	type	part number
	class C	60	aluminium	without arrow	83-40227
	class C	100	aluminium	without arrow	83-40247
	class C	60	aluminium	with arrow printed	83-40237
	class C	100	aluminium	with arrow printed	83-40257
	without hole (for glueing)				
	class C	60	aluminium	without arrow	83-40477
	class C	100	aluminium	without arrow	83-40487
	class C	60	aluminium	with arrow printed	83-40497
class C	100	aluminium	with arrow printed	83-40507	
	anti-slip-aluminium plates for gratings				
	luminance	dimensions (mm)	material	type	part number
	class C	50 x 200	aluminium	unprinted	83-40147
	class C	100 x 200	aluminium	unprinted	83-40187
class C	50 x 490	aluminium	with safety sign	83-40167	







## Floor markings II

	stencil round					part number	84-0511
	stencil, angled					part number	84-0512
	stencil, arrow					part number	84-0513
	stencil round					part number	84-0514
	brush					part number	84-0515
	stirring staff					part number	84-0500
	2- and 3-component-epoxy paint system	luminance	volume	unit		part number	
			1 kg	can	white primer	84-0371	
		class C	5 kg	bucket	white primer	84-10375	
			1 kg	can	photoluminescent coating laquer	84-0382	
	2- and 3-component-Polyurethane paint system	luminance	volume	unit		part number	
			1 kg	can	white primer	84-0231	
		class C	5 kg	bucket	white primer	84-10235	
			1 kg	can	photoluminescent coating laquer	84-0242	
	epoxy casting resin floor marking	luminance	volume	unit		part number	
			1 kg	can	white primer	84-0371	
		class C	2 component_epoxy casting resin				
			3 component_epoxy casting resin	1 kg	can	84-0492	
	professional marking tool with stencil set					part number	84-0501
	stencil set (arrow- and round stencil)					part number	84-0505
	stencil round					part number	84-0506
	stencil arrow 1					part number	84-0497
	stencil arrow 2					part number	84-0498
	stencil emergency way sign					part number	84-0509
	special spatula					part number	84-0510
	spatula with bit					part number	84-0502

## Stair Case Marking

Image	Description	luminance	dimensions (mm)	material	type	part number		
	anti-slip stainless steel stair nosing	luminance	110 x 1000 x 30	stainless steel	black-yellow	83-3711		
		class C	110 x 1000 x 30	stainless steel	black/fluorescent/photoluminescent	83-3712		
	anti-slip stainless steel plate	luminance	110 x 660	stainless steel	black/yellow	83-3701		
		class C	110 x 660	stainless steel	black/fluorescent/photoluminescent	83-3702		
	anti-slip aluminium stair edges	luminance	50 x 25 x 200	aluminium, self adhesive	unprinted	83-40267		
		class C	50 x 25 x 200	aluminium, self adhesive	downwards	83-40287		
		class C	50 x 25 x 200	aluminium, self adhesive	upwards	83-40277		
	L-markers	luminance	203 x 76 x 25	aluminium, self adhesive	right	83-40427		
		class C	203 x 76 x 25	aluminium, self adhesive	left	83-40437		
		class C	203 x 76 x 25	aluminium, self adhesive	left	83-40437		
	anti-slip aluminium stair nosing	luminance	60 x 1000 x 30	aluminium	black/yellow	83-3721		
		class C	60 x 1000 x 30	aluminium	black/fluorescent/photoluminescent	83-3722		
	edge protection profile with 2 anti-slip strips	luminance	66 x 30 x 1000	aluminium	type	part number		
		class C	66 x 30 x 1000	aluminium	type	83-40447		
	Edge protection profile with 2 anti-slip strips including photoluminescent vinyl strip at the step riser	luminance	66 x 30 x 1000	aluminium	type	part number		
		class C	66 x 30 x 1000	aluminium	type	83-40517		
	aluminium-flat profile with border	luminance	1000 x 61	aluminium	type	part number		
		class C	1000 x 61	aluminium	complete	83-40527		
		individual sliceable						
				aluminium flat profile photoluminescent, max. length: 5m	per meter	83-40528		
				black Safety-Walk-strip, max. length: 18,3 m	per meter	83-40529		
		photoluminescent anti-slip strip, max. length: 25m	per meter	83-40530				
	stainless steel edge protection profile	luminance	1000 x 75 x 15	stainless steel	type	part number		
		class C	1000 x 75 x 15	stainless steel	black/fluorescent-photoluminescent-yellow	83-3732		
		class C	1000 x 75 x 15	stainless steel	with 2 stripes	83-3733		
	stainless steel flat profile	luminance	1000 x 75	stainless steel	type	part number		
		class C	1000 x 75	stainless steel	black/fluorescent-photoluminescent-yellow	83-3742		
		class C	1000 x 75	stainless steel	with 2 stripes	83-3743		
	anti-slip strips	luminance	150 x 610	vinyl, self adhesive	type	part number		
		class C	150 x 610	vinyl, self adhesive	black/fluorescent-photoluminescent-yellow	83-44001		
	handrail markings	luminance	25 x 1000	vinyl, self adhesive	type	part number		
		class C	25 x 10.000	vinyl, self adhesive	type	83-40319		
	door frame marking	luminance	25 x 200	aluminium, self adhesive	door angle	82-40097		
		class C	25 x 1000	aluminium, self adhesive	door stripe	82-40087		
	door handle backing	luminance	50 x 200	aluminium, self adhesive	door angle	82-40107		
		class C	50 x 1000	aluminium, self adhesive	door stripe	82-40057		
		class C	25 x 200	aluminium, self adhesive	door angle, with arrow	82-40137		
		class C	25 x 1000	aluminium, self adhesive	door stripe, with arrow	82-40117		
		class C	50 x 200	aluminium, self adhesive	door angle, with arrow	82-40147		
		class C	50 x 1000	aluminium, self adhesive	door stripe, with arrow	82-40127		
		class C	100 x 254	polycarbonate, self adhesive	pointing right	83-40399		
		class C	100 x 254	polycarbonate, self adhesive	pointing left	83-40409		
			door handle backing for doors with knobs	luminance	100 x 195	polycarbonate	type	part number
				class C	100 x 195	polycarbonate	right	82-6127
class C	100 x 195			polycarbonate	left	82-6128		
	photoluminescent backings for panic bars	luminance	75 x 1000	aluminium, self adhesive	type	part number		
		class C	75 x 1000	aluminium, self adhesive	escape route right	82-6125		
		class C	75 x 1000	aluminium, self adhesive	escape route left	82-6126		

## Warning markings











		luminance	dimension in mm	marking	colour	part number
	aluminium warning markings					
		class C	50 x 990	pointing right		82-0850
		class C	100 x 990	pointing right		82-0852
		class C	50 x 990	pointing left	daylight fluorescent- photoluminescent/ black	82-0851
		class C	100 x 990	pointing left		82-0853
		class C	50 x 990	angle		82-0854
	class C	100 x 990	angle		82-0855	
	daylight fluorescent and photoluminescent warning marking	luminance	dimension (mm)	marking	colour	part number
		class C	50 x 25000	pointing right		82-4552
		class C	100 x 25000	pointing right	daylight fluorescent- photoluminescent/ black	82-4502
		class C	50 x 25000	pointing left		82-4551
	class C	100 x 25000	pointing left		82-4501	
	photoluminescent warning marking red/white	luminance	dimension (mm)	marking	colour	part number
		class C	50 x 16000	pointing right	red/photoluminescent	82-42052
		class C	100 x 16000	pointing right	red/photoluminescent	82-42102
		class C	50 x 16000	pointing left	red/photoluminescent	82-42051
	class C	100 x 16000	pointing left	red/photoluminescent	82-42101	
	photoluminescent warning marking black/white	luminance	dimension (mm)	marking	colour	part number
		class C	50 x 16000	pointing right	black/photoluminescent	82-44052
		class C	100 x 16000	pointing right	black/photoluminescent	82-44102
		class C	50 x 16000	pointing left	black/photoluminescent	82-44051
	class C	100 x 16000	pointing left	black/photoluminescent	82-44101	
	photoluminescent warning marking green/white	luminance	dimension (mm)	marking	colour	part number
		class C	50 x 16000	pointing right	green/photoluminescent	82-43052
		class C	100 x 16000	pointing right	green/photoluminescent	82-43102
		class C	50 x 16000	pointing left	green/photoluminescent	82-43051
	class C	100 x 16000	pointing left	green/photoluminescent	82-43101	
	plastic chains	luminance	dimension	colour		part number
		class B		red/photoluminescent		82-5000
		class B		black/photoluminescent		82-5010
		class B		photoluminescent		82-5005
	chain posts	not photoluminescent	height: 870 mm	red/white filled		82-5023
		not photoluminescent	(1000 mm caved in	red/white , unfilled		82-5022
	not photoluminescent	), foot approx. Ø	black/yellow, filled		82-5025	
	not photoluminescent	300 mm	black/yellow , unfilled		82-5024	

**Escape route signs according to ISO 7010 I**












Icon	Description	luminance	dimension (mm)	material		part number
	emergency route/ emergency exit left	class C	200 x 100	aluminium		86-42107
		class C	200 x 100	aluminium	self adhesive	86-42117
		class C	300 x 150	aluminium		86-42127
		class C	300 x 150	aluminium	self adhesive	86-42137
		class C	400 x 200	aluminium		86-42147
		class C	400 x 200	aluminium	self adhesive	86-42157
		class C	600 x 300	aluminium		86-42167
		class C	800 x 400	aluminium		86-42177
		class C	1200 x 600	aluminium		86-42187
	emergency route/ emergency exit right	luminance	dimension (mm)	material		part number
		class C	200 x 100	aluminium		86-42197
		class C	200 x 100	aluminium	self adhesive	86-42207
		class C	300 x 150	aluminium		86-42217
		class C	300 x 150	aluminium	self adhesive	86-42227
		class C	400 x 200	aluminium		86-42237
		class C	400 x 200	aluminium	self adhesive	86-42247
		class C	600 x 300	aluminium		86-42257
		class C	800 x 400	aluminium		86-42267
	emergency route/ emergency exit right down	luminance	dimension (mm)	material		part number
		class C	200 x 100	aluminium		86-42287
		class C	200 x 100	aluminium	self adhesive	86-42297
		class C	300 x 150	aluminium		86-42307
		class C	300 x 150	aluminium	self adhesive	86-42317
		class C	400 x 200	aluminium		86-42327
		class C	400 x 200	aluminium	self adhesive	86-42337
		class C	600 x 300	aluminium		86-42347
		class C	600 x 300	aluminium		86-42357
	emergency route/ emergency exit left downwards	luminance	dimension (mm)	material		part number
		class C	200 x 100	aluminium		86-42367
		class C	200 x 100	aluminium	self adhesive	86-42377
		class C	300 x 150	aluminium		86-42387
		class C	300 x 150	aluminium	self adhesive	86-42397
		class C	400 x 200	aluminium		86-42407
		class C	400 x 200	aluminium	self adhesive	86-42417
		class C	600 x 300	aluminium		86-42427
		class C	600 x 300	aluminium		86-42437
	emergency route/ emergency exit right upwards	luminance	dimension (mm)	material		part number
		class C	200 x 100	aluminium		86-42447
		class C	200 x 100	aluminium	self adhesive	86-42457
		class C	300 x 150	aluminium		86-42467
		class C	300 x 150	aluminium	self adhesive	86-42477
		class C	400 x 200	aluminium		86-42487
		class C	400 x 200	aluminium	self adhesive	86-42497
		class C	600 x 300	aluminium		86-42507
		class C	600 x 300	aluminium		86-42517
	emergency route/ emergency exit left upwards	luminance	dimension (mm)	material		part number
		class C	200 x 100	aluminium		86-42527
		class C	200 x 100	aluminium	self adhesive	86-42537
		class C	300 x 150	aluminium		86-42547
		class C	300 x 150	aluminium	self adhesive	86-42557
		class C	400 x 200	aluminium		86-42567
		class C	400 x 200	aluminium	self adhesive	86-42577
		class C	600 x 300	aluminium		86-42587
		class C	600 x 300	aluminium		86-42597
	emergency route/ emergency exit right inclined down	luminance	dimension (mm)	material		part number
		class C	200 x 100	aluminium		86-42607
		class C	200 x 100	aluminium	self adhesive	86-42617
		class C	300 x 150	aluminium		86-42627
		class C	300 x 150	aluminium	self adhesive	86-42637
		class C	400 x 200	aluminium		86-42647
		class C	400 x 200	aluminium	self adhesive	86-42657
		class C	600 x 300	aluminium		86-42667
		class C	600 x 300	aluminium		86-42677
	emergency route/ emergency exit left inclined down	luminance	dimension (mm)	material		part number
		class C	200 x 100	aluminium		86-42687
		class C	200 x 100	aluminium	self adhesive	86-42697
		class C	300 x 150	aluminium		86-42707
		class C	300 x 150	aluminium	self adhesive	86-42717
		class C	400 x 200	aluminium		86-42727
		class C	400 x 200	aluminium	self adhesive	86-42737
		class C	600 x 300	aluminium		86-42747
		class C	600 x 300	aluminium		86-42757
	emergency route/ emergency exit right inclined upwards	luminance	dimension (mm)	material		part number
		class C	200 x 100	aluminium		86-42767
		class C	200 x 100	aluminium	self adhesive	86-42777
		class C	300 x 150	aluminium		86-42787
		class C	300 x 150	aluminium	self adhesive	86-42797
		class C	400 x 200	aluminium		86-42807
		class C	400 x 200	aluminium	self adhesive	86-42817
		class C	600 x 300	aluminium		86-42827
		class C	600 x 300	aluminium		86-42837
	emergency route/ emergency exit left inclined upwards	luminance	dimension (mm)	material		part number
		class C	200 x 100	aluminium		86-42847
		class C	200 x 100	aluminium	self adhesive	86-42857
		class C	300 x 150	aluminium		86-42867
		class C	300 x 150	aluminium	self adhesive	86-42877
		class C	400 x 200	aluminium		86-42887
		class C	400 x 200	aluminium	self adhesive	86-42897
		class C	600 x 300	aluminium		86-42907
		class C	600 x 300	aluminium		86-42917



**Escape route signs according to ISO 7010 II**

	emergency route/ emergency exit	luminance	dimension (mm)	material		part number
	V-shaped sign	class C	400 x 200	aluminium		86-42807
	emergency route/ emergency exit	luminance	dimension (mm)	material		part number
	right/left doublesided	class C	300 x 150	aluminium		86-42817
		class C	400 x 200	aluminium		86-42827
		class C	600 x 300	aluminium		86-42837
	emergency route/ emergency exit right	luminance	dimension (mm)	material		part number
		class C	100 x 100	aluminium		86-42847
		class C	100 x 100	aluminium	self adhesive	86-42857
		class C	150 x 150	aluminium		86-42867
		class C	150 x 150	aluminium	self adhesive	86-42877
		class C	200 x 200	aluminium		86-42887
		class C	200 x 200	aluminium	self adhesive	86-42897
		class C	300 x 300	aluminium		86-42907
	class C	300 x 300	aluminium	self adhesive	86-42917	
	emergency route/ emergency exit left	luminance	dimension (mm)	material		part number
		class C	100 x 100	aluminium		86-42927
		class C	100 x 100	aluminium	self adhesive	86-42937
		class C	150 x 150	aluminium		86-42947
		class C	150 x 150	aluminium	self adhesive	86-42957
		class C	200 x 200	aluminium		86-42967
		class C	200 x 200	aluminium	self adhesive	86-42977
		class C	300 x 300	aluminium		86-42987
	class C	300 x 300	aluminium	self adhesive	86-42997	
	direction indicator straight	luminance	dimension (mm)	material		part number
		class C	100 x 100	aluminium		86-43007
		class C	100 x 100	aluminium	self adhesive	86-43017
		class C	150 x 150	aluminium		86-43027
		class C	150 x 150	aluminium	self adhesive	86-43037
		class C	200 x 200	aluminium		86-43047
		class C	200 x 200	aluminium	self adhesive	86-43057
		class C	300 x 300	aluminium		86-43067
	class C	300 x 300	aluminium	self adhesive	86-43077	
	direction indicator inclined	luminance	dimension (mm)	material		part number
		class C	100 x 100	aluminium		86-43087
		class C	100 x 100	aluminium	self adhesive	86-43097
		class C	150 x 150	aluminium		86-43107
		class C	150 x 150	aluminium	self adhesive	86-43117
		class C	200 x 200	aluminium		86-43127
		class C	200 x 200	aluminium	self adhesive	86-43137
		class C	300 x 300	aluminium		86-43147
	class C	300 x 300	aluminium	self adhesive	86-43157	
	meeting point	luminance	dimension (mm)	material		part number
		not photoluminescent	400 x 400	aluminium		86-26067
		class C	400 x 400	aluminium		86-43467
	meeting point with text according to your requirements	luminance	dimension (mm)	material		part number
		not photoluminescent	400 x 600	PVC		86-26084
	V-shaped signs blank	luminance	dimension (mm)	material		part number
		not photoluminescent	150 x 150	aluminium	white	86-7039
		not photoluminescent	300 x 150	aluminium	white	86-7040
		not photoluminescent	200 x 200	aluminium	white	86-7041
		not photoluminescent	400 x 200	aluminium	white	86-7042
	L-shaped signs blank	luminance	dimension (mm)	material		part number
		not photoluminescent	150 x 150	aluminium	white	86-7056
		not photoluminescent	300 x 150	aluminium	white	86-7057
		not photoluminescent	200 x 200	aluminium	white	86-7037
		not photoluminescent	300 x 300	aluminium	white	86-7038
		not photoluminescent	400 x 200	aluminium	white	86-7058

## Fire Safety and Equipment marking

		luminance	dimension (mm)	material		part number
	fire extinguisher marking strip	class C	15 x 1000	vinyl		82-40011
	fire extinguisher backing	luminance	dimension (mm)	material		part number
		class C	300 x 500	PVC		82-40174
		class C	500 x 800	PVC		82-40184
	fire extinguisher	luminance	dimension (mm)	material		part number
		class C	100 x 100	aluminium		86-43487
		class C	100 x 100	aluminium	self adhesive	86-43497
		class C	150 x 150	aluminium		86-40887
		class C	150 x 150	aluminium	self adhesive	86-43507
		class C	200 x 200	aluminium		86-41047
		class C	200 x 200	aluminium	self adhesive	86-41057
		class C	300 x 300	aluminium		86-43517
		class C	300 x 300	aluminium	self adhesive	86-43527
	class C	198 x 198	acrylic		86-43535	
	means and equipment for	luminance	dimension (mm)	material		part number
		class C	100 x 100	aluminium		86-43547
		class C	100 x 100	aluminium	self adhesive	86-43557
		class C	150 x 150	aluminium		86-43567
		class C	150 x 150	aluminium	self adhesive	86-43577
		class C	200 x 200	aluminium		86-41067
		class C	200 x 200	aluminium	self adhesive	86-41077
		class C	300 x 300	aluminium		86-43587
	class C	300 x 300	aluminium	self adhesive	86-43597	
	fire hose	luminance	dimension (mm)	material		part number
		class C	100 x 100	aluminium		86-43607
		class C	100 x 100	aluminium	self adhesive	86-43617
		class C	150 x 150	aluminium		86-43627
		class C	150 x 150	aluminium	self adhesive	86-43637
		class C	200 x 200	aluminium		86-41087
		class C	200 x 200	aluminium	self adhesive	86-41097
		class C	300 x 300	aluminium		86-43647
	class C	300 x 300	aluminium	self adhesive	86-43657	
	fire phone	luminance	dimension (mm)	material		part number
		class C	100 x 100	aluminium		86-43667
		class C	100 x 100	aluminium	self adhesive	86-43677
		class C	150 x 150	aluminium		86-43687
		class C	150 x 150	aluminium	self adhesive	86-43697
		class C	200 x 200	aluminium		86-41107
		class C	200 x 200	aluminium	self adhesive	86-41117
		class C	300 x 300	aluminium		86-43707
	class C	300 x 300	aluminium	self adhesive	86-43717	
	fire alarm	luminance	dimension (mm)	material		part number
		class C	100 x 100	aluminium		86-43727
		class C	100 x 100	aluminium	self adhesive	86-43737
		class C	150 x 150	aluminium		86-43747
		class C	150 x 150	aluminium	self adhesive	86-43757
		class C	200 x 200	aluminium		86-41127
		class C	200 x 200	aluminium	self adhesive	86-41137
		class C	300 x 300	aluminium		86-43767
		class C	300 x 300	aluminium	self adhesive	86-43777
	class C	198 x 198	acrylic		86-43785	
	V-shaped sign fire extinguisher	luminance	dimension (mm)	material		part number
		class C	200 x 200	aluminium		86-43987
	ladder	luminance	dimension (mm)	material		part number
		class C	100 x 100	aluminium		86-43797
		class C	100 x 100	aluminium	self adhesive	86-43807
		class C	150 x 150	aluminium		86-43817
		class C	150 x 150	aluminium	self adhesive	86-43827
		class C	200 x 200	aluminium		86-41147
		class C	200 x 200	aluminium	self adhesive	86-41157
		class C	300 x 300	aluminium		86-43837
	class C	300 x 300	aluminium	self adhesive	86-43847	
	V-shaped sign fire hose	luminance	dimension (mm)	material		part number
		class C	200 x 200	aluminium		86-43907
	V-shaped sign fire alarm	luminance	dimension (mm)	material		part number
		class C	200 x 200	aluminium		86-43917